MUSCLE & NERVE

Official Journal of the American Association of Electrodiagnostic Medicine

AUTHOR INDEX TO VOLUME 28

This index lists, in alphabetical order, the names of authors of all articles and book reviews. Full citation is provided under the first author only, with cross references to this author made from entries to other authors. Book reviews are distinguished by the letter B after the page number.

A

AAEM Laryngeal EMG Task Force: Laryngeal electromyography: An evidence-based review, 767
Acosta JA, Hoffman SN, Raynor EM, Nardin RA, Rutkove SB: Ulnar neuropathy in the forearm: A possible complication of diabetes mellitus, 40
Adachi N., see Sato K
Adarmes D., see DiBenedetto M
Agius M., see Maselli RA
Akaike M., see Kunishige M
Al-Shekhlee A, Katirji B: Spinal accessory neuropathy, droopy shoulder, and thoracic outlet syndrome, 383
Amato AA., see Katz JS
Aminoff MJ: Companion to clinical neurology, 389B
Anderson B., see Field-Fote EC
Andreu AL., see Gámez J
Anetseder M., see Textor Z
Arai M, Susuki K, Koga M: Axonal pharyngeal-cervical-brachial variant of Guillain–Barré syndrome without anti-Gt1a IgG antibody, 246
Arenas J., see Arpa J; Gámez J
Armstrong RB., see Lesniewski LA
Arpa J, Cruz-Martínez A, Campos Y, Gutiérrez-Molina M, García-Rio F, Pérez-Conde C, Martín MA, Rubio JC, Del Hoyo P, Arpa-Fernández A, Arenas J: Prevalence and progression of mitochondrial diseases: A study of 50 patients, 690
Arpa-Fernández A., see Arpa J
Arruda APM., see Marques Jr W
Asahina M., see Ogawara K
Asaoka E., see Taguchi Y
Assereto S., see Bruno C
Atlas SJ, Nardin RA: Reply, 652

B

Badlani N., see Sato K
Bado M., see Bruno C
Badrising UA., see Niks EH
Barkley JE., see Gosselin LE
Barohn RJ., see Katz JS
Baron P., see Del Bo R
Barreira AA., see Marques Jr W
Bartoli C., see Figarella-Branger D
Beckmann JS., see Guyon JR
Beelen A, Nollet F, de Visser M, de Jong BA, Lankhorst GJ, Sargeant AJ: Quadriceps muscle strength annd voluntary activation after polio, 218
Beer M., see Textor Z
Benson MD., see Yazaki M
Berciano J, Berciano MT, Combarros O: Original descriptions of peroneal muscular atrophy, 251
Berciano MT., see Berciano J
Bessem B., see Zijdewind I
Bigard X., see Sanchez H
Binder-Mcleod SA., see Scott WB
Bindoff L., see Howse MLP
Birnbaum M., see Drory VE
Blaauw G., see Colon AJ
Bønaa KH., see Toft I
Bostock H., see Kuwabara S
Bowe C., see Maselli RA
Brady RO., see Schiffman R
Bresolin N., see Del Bo R
Brew BJ: The peripheral nerve complications of human immunodefiency virus (HIV) infection, 542
Brosius MA., see Guyon JR
Bruno C, Santorelli FM, Assereto S, Tonoli E, Tessa A, Traverso M, Scapolan S, Bado M, Tedeschi S, Minetti C: Progressive exercise intolerance associated with a new muscle-restricted nonsense mutation (G142X) in the mitochondrial cytochrome *b* gene, 508
Burke D., see Kuwabara S

C

Cafarelli E., see Walton C
Campbell WW., see Vasconcelos OM
Campos Y., see Arpa J
Camu W., see Gros-Louis F
Castagni M., see Del Bo R
Chalk CH., see Fellows LK
Charifi N, Kadi F, Féasson L, Denis C: Effects of endurance training on satellite cell frequency in skeletal muscle of old men, 87
Chaves F., see Teixeira CFP
Chen C-M., see Ro L-S
Chen S-C., see Tzen C-Y
Chen S-T., see Ro L-S
Chew SE., see Wilder-Smith EPV
Chinnery PF., see Howse MLP
Chong PST., see Vucic S
Chow A., see Wilder-Smith EPV
Cifuentes-Diaz C., see Haddad H
Civatte M., see Figarella-Branger D
Clark A., see Toth C
Cleland JC, Logigian EL, Thaisetthawatkul P, Herrmann DN: Dispersion of the distal compound muscle action potential in chronic inflammatory demyelinating polyneuropathy and carpal tunnel sydrome, 189
Coelho AJ., see Pincivero DM
Colding-Jørgensen E., see Grunnett M
Colon AJ, Vredeveld JW, Blaauw G, Zandvoort JA: Spontaneous muscle fiber activity appears early in cases of obstetric brachial plexopathy, 515
Combarros O., see Berciano J
Comi GP., see Del Bo R
Conceição I, Sales-Luis ML, De Carvalho M, Evangelista T, Fernandes R, Paunio T, Kangas H, Coutinho P, Neves C, Saraiva MJ: Gelsolin-related familial amyloidosis, Finnish type, in a Portuguese family: Clinical and neurophysiological studies, 715
Connolly MK., see Poncelet AN
Coskun DJ, Gilchrist J, Dupuy D: Lumbosacral radiculopathy following radiofrequency ablation therapy, 754
Coutinho P., see Conceição, I
Cros D., see Vucic S
Cruz-Hofling MA., see Teixeira CFP
Cruz-Martínez A., see Arpa J

D

Dalkilic I., see Guyon JR
Dambrosia JM., see Schiffman R

Daube JR: Obituary
Edward H. Lambert, 523
Davies L., see McDougall AJ
de Carvalho M, Scotto M, Lopes A, Swash M: Clinical and neurophysiological evaluation of progression in amyotrophic lateral sclerosis, 630
De Carvalho M., see Conceição, I
Decherchi P., see Marqueste T
de Jong BA., see Beelen A
Del Bo R, Baron P, Prelle A, Serafini M, Moggio M, Di Fonzo A, Castagni M, Bresolin N, Comi GP: Novel missense mutation and large deletion of *GNE* gene in autosomal-recessive inclusion-body myopathy, 113
Del Hoyo P., see Arpa J
DeLisa JA, Nadler SF: Low back pain, 651
Denis C., see Charifi N
de Visser M., see Beelen A
DiBenedetto M, Gale SD, Adarmes D, Schabacker M: F-wave acquisition using low-current stimulation, 82
Diercks RL., see Zijdewind I
Di Fonzo A., see Del Bo R
Dishman RK., see Motl RW
Dispenzieri A., see Rabinstein AA
Dixon PT., see Pincivero DM
Doherty TJ, Stashuk DW: Decomposition-based quantitative electromyography: Methods and initial normative data in five muscles, 204
Donofrio PD: Immunotherapy of idiopathic inflammatory neuropathies, 273
Drory VE, Birnbaum M, Peleg L, Goldman B, Korczyn AD: Hexosaminidase a deficiency is an uncommon cause of a syndrome mimicking amyotrophic lateral sclerosis, 109
Duffy C., see Vasconcelos OM
Dunne V., see Maselli RA
Dunø M., see Grunnett M
Dupuy D., see Coskun DJ

E

Einarsson F., see Lieber RL
Eng JJ., see McCrea PH
Engstrom JW: Electrodiagnostic medicine, 2nd edition, 254B
Evangelista T., see Conceição, I

F

Falck B, Puksa L
Farkas GA., see Gosselin LE
Féasson L., see Charifi N
Fellows LK, Foster BJ, Chalk CH: Clinical significance of complex repetitive dischrges: A case-control study, 504
Fernandes CM., see Teixeira CFP
Fernandes L, see Teixeira CFP
Fernandes R., see Conceição, I
Fernández-Cadenas I., see Gámez J
Ferrer X., see Macia F; Vital A
Field-Fote EC, Anderson B, Robertson VJ, Spielholz NI: Monophasic and biphasic stimulation evoke different responses, 239
Figarella-Branger D, Civatte M, Bartoli C, Pellissier J-F: Cytokines, chemokines, and cell adhesion molecules in inflammatory myopathies, 659
Fisher CJ., see Howse MLP
Fishman LM, Schaefer MP: The piriformis syndrome is underdiagnosed, 646
Flanigan KM., see Walker AR
Floeter MK: Cutaneous silent periods, 391
Floeter MK., see Schiffman R
Foldvari M., see Frontera WR
Fook-Chong S., see Wilder-Smith EPV
Foss NT., see Marques Jr W
Foster BJ., see Fellows LK
Foster W., see Sato K
Frank R., see Maselli RA
Fratkin J., see Leis AA
Freeman R., see Nahm F
Fridén J., see Lieber RL
Fröhlich K., see Kofler M
Frontera WR, Hughes VA, Krivickas LS, Kim S-K, Foldvari M, Roubenoff R: Strength training in older women: Early and late changes in whole muscle and single cells, 601
Fu FH., see Sato K
Fuerst DR., see Lewis RA
Fuglevand AJ., see Keen DA
Fukudome T, Izumoto H, Goto H, Matsuo H, Yoshimura T, Sakoda S-I, Shibuya N: Paramyotonia congenita due to a de novo mutation: A case report, 232
Fukudome T., see Goto H
Fukushima K., see Sato K
Fukutake T., see Ogawara K

G

Gale SD., see DiBenedetto M
Gámez J, Rubio JC, Martín MA, Fernández-Cadenas I, García-Arumí E, Andreu AL, Arenas J: Two novel mutations in the muscle glycogen phosphorylase gene in McArdle's disease, 380
García-Arumí E., see Gámez J
García-Río F., see Arpa J
Gardetto A, Thaler C, Kiechl S, Maurer H, Piza-Katzer H: Isolated compression of the pectoral nerve resulting in atrophy of the major pectoral muscle, 760
Genç H, Leventoğlu A, Güney F, Kuruoğlu R: Posterior interosseous nerve syndrome caused by the use of a Canadian crutch, 386
Gilchrist J., see Coskun DJ
Goldman B., see Drory VE
Gorson KC, Ropper AH: Positive salivary gland biopsy, Sjögren syndrome, and neuropathy: Clinical implications, 553
Gosselin LE, Barkley JE, Spencer MJ, McCormick KM, Farkas GA: Ventilatory dysfunction in *mdx* mice: Impact of tumor necrosis factor–alpha deletion, 336
Gosselin N, Lambert K, Poulain M, Martin A, Préfaut C, Varray A: Endurance training improves skeletal muscle electrical activity in active copd patients, 744
Goto H, Matsuo H, Ohnishi A, Fukudome T, Shibuya N: X-linked motor and sensory neuropathy with pyramidal signs and cerebral white matter lesions, 623
Goto H., see Fukudome T
Gros-Louis F, Laurent S, Lopez AAS, Khoris J, Melinger V, Camu W, Rouleau GA: Absense of mutations in the hypoxia response element of *VEGF* in ALS, 774
Grunnett M, Jespersen T, Colding-Jørgensen E, Schwartz M, Klaerke DA, Vissing J, olesen S-P, Dunø M: Characterization of two new dominant clc-1 channel mutations associated with myotonia, 722
Güney F., see Genç H
Guo Y., see Wilder-Smith EPV
Gupta S., see Schiffman R
Gutiérrez JM., see Teixeira CFP
Gutiérrez-Molina M., see Arpa J
Guyon JR, Kudryashova E, Potts A, Dalkilic I, Brosius MA, Thompson TG, Beckmann JS, Kunkel LM, Spencer MJ: Calpain 3 cleaves filamin C and regulates its ability to interact with γ- and δ- sarcoglycans, 472

H

Habonimana D., see Macia F
Haddad H, Cifuentes-Diaz C, Miroglio A, Roblot N, Joshi V, Melki J: Riluzole attenuates spinal muscular atrophy disease progression in a mouse model, 432
Hahn D., see Textor Z
Halperin JJ: Facial nerve palsy associated with lyme disease, 516
Halperin JJ: Lyme disease and the peripheral nervous system, 133
Harter DH., see Vasconcelos OM
Harvey RL., see Kamper DG
Hattori T., see Kuwabara S; Ogawara K
Herrmann DN., see Cleland JC
Hodgson AJ., see McCrea PH
Hoffman SN., see Acosta JA
Howse MLP, Wardell TM, Fisher CJ, Tilley PJB, Chinnery PF, Bindoff L: Late-onset motochondrial disorder with electromyographic evidence of myotonia, 757
Huard J., see Sato K
Hug F., see Marqueste T
Hughes VA., see Frontera WR

I

Imamura A., see Kusyhara T
Inoue H., see Taguchi Y
Inwards DJ., see Rabinstein AA
Ishihara A., see Oishi Y
Ishikawa H, Nonaka I, Nishino I: Negative result in search for human alpha-dystrobrevin deficiency, 387
Izumoto H., see Fukudome T

J

Jackson CE., see Katz JS
Jammes Y., see Marqueste T
Jenssen T., see Toft I
Jespersen T., see Grunnett M
Johanson ME., see Lateva ZC
Joshi V., see Haddad H

K

Kadi F., see Charifi N
Kagerbauer E., see Textor Z
Kaji R, Nodera H: Who is the primary suspect in acute motor axonal neuropathy?, 657
Kamper DG, Harvey RL, Suresh S, Rymer WZ: Relative contributions of neural mechanisms *versus* muscle mechanisms in promoting finger extension deficits following stroke, 309
Kanai K., see Kuwabara S
Kangas H., see Conceição, I
Katirji B., see Al-Shekhlee A
Katz JS, Rando TA, Barohn RJ, Saperstein DS, Jackson CE, Wicklund M, Amato AA: Late-onset distal muscular dystrophy affecting the posterior calves, 443
Kawai H., see Kunishige M
Kawajiri M., see Kunishige M
Keen DA, Fuglevand AJ: Role of intertendinous connections in distribution of force in the human extensor digitorum muscle, 614
Kenn W., see Textor Z
Khoris J., see Gros-Louis F
Khurana RK., see Schiffman R
Kiechl S., see Gardetto A
Kim S-K., see Frontera WR
Kincaid J., see Mizobuchi K
Kincaid JC., see Yazaki M
Klaerke DA., see Grunnett M
Klein CS, Marsh GD, Petrella RJ, Rice CL: Muscle fiber number in the biceps brachii muscle of young and old men, 62
Kleopas KA, Zamba-Papanicolaou E, Kyriakides T: Compressive lumbar myelopathy presenting as segmental motor neuron disease, 69
Kocsis JD., see Tokuno HA
Kofler M, Fröhlich K, Saltuari L: Preserved cutaneoussilent periods in severe entrapment neuropathies, 711
Koga M., see Arai M
Konishi T, Yoshiyama Y, Takamori M, Yagi K, Mukai E, Saida T, The Japanese FK506 MG Study Group: Clinical study of FK506 in patients with myasthenia gravis, 570
Korczyn AD., see Drory VE
Köstler H., see Textor Z
Krajewski K., see Lewis RA
Krause M., see Veltkamp R
Krivickas LS., see Frontera WR
Kudryashova E., see Guyon JR
Kunishige M, Mitsui T, Akaike M, Kawajiri M, Shono M, Kawai H, Matsumoto T: Overexpressions of myoglobin and antioxidant enzymes in ragged-red fibers of skeletal muscle from patients with mitochondrial encephalomyopathy, 484
Kunkel LM., see Guyon JR
Kuruoğlu R., see Genç H
Kusuhara T, Nkajima M, Imamura A: Ocular myasthenia gravis associated with euthyroid opthalmopathy, 764
Kusunoki S., see Taguchi Y
Kuwabara S, Bostock H, Ogawara K, Sung J-Y, Kanai K, Mori M, Hattori T, Burke D: The refractory period of transmission is impaired in axonal Guillain–Barré syndrome, 683
Kuwabara S., see Ogawara K
Kyriakides T., see Kleopas KA

L

Lagueny A., see Macia F; Vital A
Lai S-L., see Ro L-S
Lambert K., see Gosselin N
Lancon JA., see Leis AA
Lateva ZC, McGill KC, Johanson ME: Increased jitter and blocking in normal muscles due to doubly innervated muscle fibers, 423
Latour P., see Vital A
Laurent S., see Gros-Louis F
Leis AA, Lancon JA, Stokic DS: Retrograde regeneration following neurotmesis of the ulnar nerve, 512
Leis AA, Stokic DS, Webb RM, Slavinski SA, Fratkin J: Clinical spectrum of muscle weakness in human West Nile virus infection, 302
Le Masson G., see Macia F
Lesniewski LA, Miller TA, Armstrong RB: Mechanisms of force loss in diabetic mouse skeletal muscle, 493
Leventoğlu A., see Genç H
Lewis RA, Li J, Fuerst DR, Shy ME, Krajewski K: Motor unit number estimate of distal and proximal muscles in Charcot–Marie–Tooth disease, 161
Li J., see Lewis RA
Li Y., see Sato K
Lieber RL, Runesson E, Einarsson F, Fridén J: Inferior mechanical properties of spastic muscle bundles due to hypertrophic but compromised extracellular matrix material, 464
Liepnieks JJ., see Yazaki M
Lindal S., see Toft I
Litzow MR., see Rabinstein AA
Lnkhorst GJ., see Beelen A
Logigian EL., see Cleland JC
Lomen-Hoerth C, Slawnych MP: Statistical motor unit number estimation: From theory to practice, 263
Lopes A., see de Carvalho M
Lopez AAS., see Gros-Louis F

M

Macia F, Le Masson G, Rouanet-Larriviere M, Habonimana D, Ferrer X, Marthan R, Lagueny A: A prospective evaluation of phrenic nerve conduction in multifocal motor neuropathy and chronic inflammatory demyelinating polyneuropathy, 319
Madison RD., see Robinson GA
Maganaris CN., see Reeves ND
Marques Jr W, Foss NT, Arruda APM, Barreira AA: Near-nerve potential in lepromatous leprosy, 460
Marques MJ., see Minatel E
Marqueste T, Hug F, Decherchi P, Jammes Y: Changes in neuromuscular function after training by functional electrical stimulation, 181
Marsh GD., see Klein CS
Marthan R., see Macia F
Martin A., see Gosselin N
Martin AR: Bernard Katz, 261
Martín MA., see Arpa J; Gámez J
Maselli RA, Dunne V, Pascual-Pascual SI, Bowe C, Agius M, Frank R, Wollmann RL: Rapsyn mutations in myasthenic syndrome due to impaired receptor clustering, 293
Matsumoto H., see Oishi Y
Matsumoto T., see Kunishige M
Matsuo F., see Walker AR
Matsuo H., see Fukudome T; Goto H
Maurer H., see Gardetto A
McCaughan GW., see McDougall AJ
McCormick KM., see Gosselin LE
McCrea PH, Eng JJ, Hodgson AJ: Time and magnitude of torque generation is impaired in both arms following stroke, 46
McDonough B., see Vasconcelos OM
McDougall AJ, Davies L, McCaughan GW: Autonomic and peripheral neuropathy in endstage liver disease and following liver transplantation, 595
McGill KC., see Lateva ZC
Meinck H-M., see Veltkamp R
Melinger V., see Gros-Louis F
Melki J., see Haddad H
Merkies ISJ, Schmitz PIM, Van Der Meché FGA, Van Doorn PA: Comparison between impairment and disbility scales in immune-mediated polyneuropathies, 93
Micallef IN., see Rabinstein AA
Miller TA., see Lesniewski LA
Minatel E, Neto HS, Marques MJ: Acetylcholine receptor distribution and synapse elimination at the developing neuromuscular junction of *mdx* mice, 561
Minetti C., see Bruno C
Miroglio A., see Haddad H
Misiaszek JE: The h-reflex as a tool in neurophysiology: Its limitations and uses in understanding nervous system function, 144
Mitsui T., see Kunishige M
Mizobuchi K, Kincaid J: Accessory neuropathy after high-dose radiation therapy for tongue-base carcinoma, 650
Moggio M., see Del Bo R
Montero J., see Valls-Canals J
Moore DF., see Schiffman R
Mori M., see Kuwabara S
Motl RW, Dishman RK: Acute leg-cycling exercise attenuates the H reflex recorded in soleus but not flexor carpi radialis, 609
Mukai E., see Konishi T

N

Nadler SF., see DeLisa JA
Nahm F, Freeman R: Sphincter electromyography and multiple system atrophy, 18
Nakajima M., see Kusyhara T
Nardin RA., see Acosta JA; Atlas SJ
Narici MV., see Reeves ND
Neto HS., see Minatel E
Neves C., see Conceição, I
N'Guessan B., see Sanchez H
Niks EH, Badrising UA, Verschuuren JJ, van Dijk JG: Decremental response of the nasalis and hypothenar muscles in myasthenia gravis, 236
Nishimiya J., see Yamada S
Nishino I., see Ishikawa H
Nodera H., see Kaji R
Nollet F., see Beelen A
Nonaka I., see Ishikawa H

O

Odaka M, Uchiyama Y, Oka Y, Tamaki T: Evaluation of morphological and functional regeneration of rat nerve–muscle units after temporary and permanent tubulization, 194
Ogawa T., see Yamada S
Ogawara K, Fukutake T, Kuwabara S, Asahina M, Hattori T: Raynaud's phenomenon in hereditary neuropathy with liability to pressure palsies, 252
Ogawara K., see Kuwabara S
Ohira Y., see Oishi Y
Ohnishi A., see Goto H
Oishi Y, Taniguchi K, Matsumoto H, Ishihara A, Ohira Y, Roy RR: Differential responses of HSP's to heat stress in slow and fast regions of rat gastrocnemius muscle, 587
Oka Y., see Odaka M
Olesen S-P., see Grunnett M

P

Pascual-Pascual SI., see Maselli RA
Paunio T., see Conceição, I
Peleg L., see Drory VE
Pellissier J-F., see Figarella-Branger D
Pérez-Conde C., see Arpa J
Petrella RJ., see Klein CS
Petry KG., see Vital A
Pincivero DM, Dixon PT, Coelho AJ: Knee extensor torque, work, and EMG during subjectively graded dynamic contractions, 54
Piza-Katzer H., see Gardetto A
Podnar S: Electromyography of the anal sphincter: Which muscle to examine?, 377
Pollard JD., see Taylor JM
Poncelet AN, Connolly MK: Peripheral neuropathy in scleroderma, 330
Potts A., see Guyon JR
Poulain M., see Gosselin N
Povedano M., see Valls-Canals J
Pradas J., see Valls-Canals J
Préfaut C., see Gosselin N
Prelle A., see Del Bo R
Preston DC: Carpal tunnel syndrome and other disorders of the median nerve, 2nd edition, 518B
Puksa L, Stalberg E, Falck B: Occurence of A waves in F-wave studies of healthy nerves, 626

R

Rabinstein AA, Dispenzieri A, Micallef IN, Inwards DJ, Litzow MR, Wijdicks EFM: Acute neuropathies after peripheral blood stem cell and bone marrow transplantation, 733
Rando TA., see Katz JS
Raynor EM., see Acosta JA
Reeves ND, Narici MV, Maganaris CN: Strength training alters the viscoelastic properties of tendons in elderly humans, 74
Ribera F., see Sanchez H
Ribière-Bachelier C., see Vital A
Rice CL., see Klein CS
Ro L-S, Lai S-L, Chen C-M, Chen S-T: Deleted 4977-bp mitochondrial dna mutation is associated with sporadic amyotrophic lateral sclerosis: A hospital-based case-control study, 737
Robertson VJ., see Field-Fote EC
Robinson GA, Madison RD: Preferential motor reinnervation in the mouse: Comparison of femoral nerve repair using a fibrin sealant or suture, 227
Roblot N., see Haddad H
Roewer N., see Textor Z
Ropper AH., see Gorson KC
Rouanet-Larriviere M., see Macia F
Roubenoff R., see Frontera WR
Rouleau GA., see Gros-Louis F
Roy RR., see Oishi Y
Rubio JC., see Arpa J; Gámez J
Runesson E., see Lieber RL
Rutkove SB., see Acosta JA
Rymer WZ., see Kamper DG

S

Saida T., see Konishi T
Sakoda S-I., see Fukudome T
Sales-Luis, ML., see Conceição, I
Saltuari L., see Kofler M
Sanchez H, N'Guessan B, Ribera F, Ventura-Clapier R, Bigard X: Cyclosporin a treatment increases rat soleus muscle oxidative capacities 324
Santorelli FM., see Bruno C
Saperstein DS., see Katz JS
Saraiva MJ., see Conceição, I
Sargeant AJ., see Beelen A
Sato K, Li Y, Foster W, Fukushima K, Badlani N, Adachi N, Usas A, Fu FH, Huard J: Improvement of muscle healing through enhancement of muscle regeneration and prevention of fibrosis, 365
Scapolan S., see Bruno C
Schabacker M., see DiBenedetto M
Schaefer MP., see Fishman LM
Schiffman R, Floeter MK, Dambrosia JM, Gupta S, Moore DF, Sharabi Y, Khurana RK, Brady RO: Enzyme replacement therapy improves peripheral nerve and sweat function in Fabry disease, 703
Schmitz PM., see Merkies ISJ
Schranz C., see Veltkamp R
Schwartz M., see Grunnett M
Scott WB, Binder-Mcleod SA: Changing stimulation patterns improves performance during electrically elicited contractions, 174
Scotto M., see de Carvalho M
Seidman CE., see Vasconcelos OM
Seidman JG., see Vasconcelos OM
Serafini M., see Del Bo R
Sharabi Y., see Schiffman R
Shibuya N., see Fukudome T; Goto H
Shono M., see Kunishige M
Shy ME., see Lewis RA
Simmons Z: Clinical evaluation and diagnostic tests for neuromuscular disorders, 776B
Slavinski SA., see Leis AA
Slawnych MP., see Lomen-Hoerth; Lomen-Hoerth C
Spencer MJ., see Gosselin LE; Guyon JR
Spielholz NI., see Field-Fote EC
Stalberg E, Puksa L
Stashuk DW., see Doherty TJ
Stegeman DF., see Zwarts MJ
Stewart JD: Peripheral nerve fascicles: Anatomy and clinical relevance, 525
Stewart JD: The piriformis syndrome is overdiagnosed, 644
Stokic DS., see Leis AA
Sung J-Y., see Kuwabara S
Suresh S., see Kamper DG
Susuki K., see Arai M
Swash M., see de Carvalho M

T

Taguchi Y, Takashima S, Kusunoki S, Asaoka E, Inoue H: Chronic sensory ataxic neuropathy with polyclonal IgM reactivity to various disialosyl gangliosides, 128
Takamori M., see Konishi T
Takashima S., see Taguchi Y
Taketazu F., see Yamada S
Tamaki T., see Odaka M
Taniguchi K., see Oishi Y
Taylor JM, Pollard JD: Neurophysiological changes in demyelinating and axonal forms of acute experimental autoimmune neuritis in the lewis rat, 344
Tedeschi S., see Bruno C
Teixeira CFP, Zamunér SR, Zuliani JP, Fernandes CM, Cruz-Hofling MA, Fernandes I, Chaves F, Gutiérrez JM: Neutrophils do not contribute to local tissue damage, but play a key role in skeletal muscle regeneration, in mice injected with *bothrops asper* snake venom, 449
Tessa A., see Bruno C
Textor Z, Beer M, Anetseder M, Köstler

H, Kagerbauer E, Kenn W, Hahn D, Roewer N: Caffeine impairs intramuscular energy balance in patients suseptible to malignant hyperthermia, 353
Thaisetthawatkul P., see Cleland JC
Thajeb P., see Tzen C-Y
Thaler C., see Gardetto A
The Japanese FK506 MG Study Group., see Konishi T
Thompson TG., see Guyon JR
Tilley PJB., see Howse MLP
Toering ST., see Zijdewind I
Toft I, Lindal S, Bønaa KH, Jenssen T: Quantitative measurement of muscle fiber composition in a normal population, 101
Tokuno HA, Kocsis JD, Waxman SG: Noninactivating, tetrodotoxin-sensitive na^+ conductance in peripheral axons, 212
Tonoli E., see Bruno C
Toth C, Trotter M, Clark A, Zochodne D: Mononeuropathy multiplex in association with liveoid vasculitis, 634
Traverso M., see Bruno C
Trotter M., see Toth C
Tschetter K., see Walker AR
Tyler KL: Origins and early descriptions of "Duchenne muscular dystrophy," 402
Tzen C-Y, Thajeb P, Wu T-Y, Chen S-C: Melas with point mutations involving $tRNA^{Leu}$ (A3243G) and $tRNA^{Glu}$ (A14693G), 575

U

Uchiyama Y., see Odaka M
Usas A., see Sato K

V

Valls-Canals J, Povedano M, Montero J, Pradas J: Stimulated single-fiber EMG of the frontalis and orbicularis oculi muscles in ocular myasthenia gravis, 501
van der Lann O., see Zijdewind I
Van Der Meché FGA., see Merkies ISJ
van Dijk JG., see Niks EH
Van Doorn PA., see Merkies ISJ
Varray A., see Gosselin N
Vasconcelos OM, Harter DH, Duffy C, McDonough B, Seidman JG, Seidman CE, Campbell WW: Adult hallervorden-spatz syndrome simulating amyotrophic lateral sclerosis, 118
Veltkamp R, Krause M, Schranz C, Meinck H-M: Progressive arm weakness and tonic hand spasm from multifocal motor neuropathy in the brachial plexus, 242
Ventura-Clapier R., see Sanchez H
Verschuuren JJ., see Niks EH
Vissing J., see Grunnett M
Vital A, Vital C, Lagueny A, Ferrer X, Ribière-Bachelier C, Latour P, Petry KG: Inflammatory demyelination in a patient with CMT1A, 373
Vital C., see Vital A
Vredeveld JW., see Colon AJ
Vucic S, Chong PST, Cros D: Atypical presentations of primary amyloid neuropathy, 696

W

Wagner RM: Ethical review of research involving human subjects: When and why is IRB review necessary?, 27
Walker AR, Tschetter K, Matsuo F, Flanigan KM: McArdle's disease presenting as recurrent cryptogenic renal failure due to occult seizures, 640
Walton C, Kalmar J, Cafarelli E: Caffeine increases spinal excitability in humans, 359
Wardell TM., see Howse MLP
Waxman SG., see Tokuno HA
Webb RM., see Leis AA
Wicklund M., see Katz JS
Wijdicks EFM., see Rabinstein AA
Wilder-Smith EPV, Fook-Chong S, Chew SE, Chow A, Guo Y: Vasomotor dysfunction in carpal tunnel syndrome, 582
Wollmann RL., see Maselli RA
Wu T-Y., see Tzen C-Y

Y

Yagi K., see Konishi T
Yamada S, Ogawa T, Nishimiya J, Yuasa T, Taketazu F: Masticator Myopathy, 123
Yazaki M, Liepnieks JJ, Kincaid JC, Benson MD: Contribution of wild-type transthyretin to hereditary peripheral nerve amyloid, 438
Yoshimura T., see Fukudome T
Yoshiyama Y., see Konishi T
Yuasa T., see Yamada S

Z

Zamba-Papanicolaou E., see Kleopas KA
Zamunér SR., see Teixeira CFP
Zandvoort JA., see Colon AJ
Zijdewind I, Toering ST, Bessem B, van der Lann O, Diercks RL: Effects of imagery motor training on torque production of ankle plantar flexor muscles, 168
Zochodne D., see Toth C
Zuliani JP., see Teixeira CFP
Zwarts MJ, Stegeman DF: Multichannel surface EMG: basic aspects and clinical utility, 1

MUSCLE & NERVE

Official Journal of the American Association of Electrodiagnostic Medicine

SUBJECT INDEX TO VOLUME 28

This index gives the first page of the article in which the indexed subject occurs.

A

A14693G, 575
Ablation, radiofrequency, 754
Accessory neuropathy, 650
Acetylcholine receptor clustering, 293
Acetylcholine receptors, 561, 570
Acquired immunodeficiency syndrome, 542
Acute exercise, 609
Acute inflammatory demyelinating neuropathy, 344
Acute motor axonal neuropathy, 246, 683
A-delta fibers, 391
Adult respiratory distress syndrome, 640
Afferent mechanoreceptors, 609
Aging, 62, 87, 601
AL neuropathy, 696
Amyloid, 438
Amyloidosis, 696
Amyotrophic lateral sclerosis, 69, 109, 118, 263, 630, 737, 774
Anterior spinal artery, 69
Antiganglioside antibody, 246
Antiretroviral medication, 542
Autoantibodies, 764
Autonomic dysfunction, 582
Autonomic neuropathy, 595
Autosomal-recessive inclusion-body myopathy, 113
A waves, 626
Axillary artery, 383

B

Becker muscle dystrophy, 402
Biceps brachii, muscle fiber number in, 62
Biomechanics, 464
Bone marrow, 733
Book Review
Carpal tunnel syndrome and other disorders of the median nerve, 2nd Edition, 518
Clinical evaluation and diagnostic tests for neuromuscular disorders, 776
Companion to clinical neurology, 2nd Edition, 389
Electrodiagnostic medicine, 2nd Edition, 254
Borrelia burgdorferi, 133
Bothrops asper snake venom, 449
Botulinum toxin, 767
Brachial plexus, 242, 383
Brachial plexus neuropathy, 525
Brachioradialis muscle, 423
Buttock pain, 644

C

Caffeine, 353, 359
Calf myopathy, 443
Calpain 3, 472
Campylobacter jejuni, 246
Canadian crutch, 386
Carpal tunnel syndrome, 189, 391, 525, 582, 711
Catalase, 484
Cauda equina, 377
Cell adhesion molecules, 659
Cervical lymph node biopsy, 383
Charcot-Marie-Tooth disease, 161, 251, 373
Chemically skinned segments of single muscle fibers, 601
Chemokines, 659
Chronic inflammatory demyelinating polyneuropathy, 189, 273, 319, 373
Chronic obstructive pulmonary disease, 745
Chronic progressive external ophthalmoplegia, 484, 757
Chronic sensory ataxic neuropathy, 128
CIC-1 channels, 723
Congenital myasthenic syndrome, 293
Collagen, 464
Common peroneal neuropathy, 525
Complex repetitive discharges, 504
Compound muscle action potential, 189, 630
Compression neuropathy, 40, 386, 760
Conduction block, 40, 242
Contractile properties, 336
Coxsackie B3, 123
Cramps, 242
Cranial neuropathies, 133
Cubital tunnel, 40
Cutaneomuscular reflexes, 391
Cutaneous silent period, 711
Cyclophosphamide, 273
Cyclosporin A, 324
Cytochrome *b* gene, 508
Cytokines, 659
Cytomegalovirus, 542

D

De novo mutation, 232
Decomposition-based quantitative electromyography
Decorin, 365
Dejerine-Sottas disease, 251
Deletion, mitochondrial DNA, 737
Denervation, 161, 512, 515
Dermatomyositis, 659
Diabetes mellitus, 40, 493
Diabetic neuropathy, 40
Diaphragm, 336
Digit blood flow ratio, 582
Disability scales, 93
Disc herniation, 69
Disease progression, 432, 630
Distal muscular dystrophy, 443
Dominant mutations, 723
Dorsal root, 212
Double mutation, 575
Doubly innervated muscle fibers, 423
Droopy shoulder, 383
Duchenne muscular dystrophy, 402, 484
Dynamic exercise, 745
Dysferlin, 443
Dystrophin, 443

E

Echo 30 virus, 123
Elasticity, 464
Elderly humans, 74
Electrical stimulation, 174, 181, 239
Electromyography, 690, 715, 757, 767
Encephalopathies, 690
Endurance time, 181
Endurance training, 87
Entrapment neuropathy, 189, 711
Eosinophilic myositis, 123
Epidural steroid injections, 651
Euthyroid ophthalmopathy, 764
Excitation–contraction coupling, 493
Exercise test, 232
Exercise tolerance, 508
Experimental autoimmune neuritis, 344
External anal sphincter, 18, 377

Extracellular matrix, 464

F

Fabry disease, 704
Familial amyloid polyneuropathy, 715
Fascicles, 525
Fatigue, 1
Fiber area, 62
Fiber number, 62
Fiber type grouping, 194
Fibrin sealant, 227
Fibrosis, 365
Filamin, 472
FK506, 570
Force distribution, 614
Frontalis muscle, 501
Functional electrical stimulation, 174, 181
F wave, 82
F-wave studies, 626

G

Gelsolin, 715
Gene mutations, 109
Genetic, 438
Genetic analysis, 232
Genetics, of amyloidosis, 690
Glutathione peroxidase, 484
GM2 gangliosidosis, 109
GNE gene, 113
Gower's sign, 402
Graves' disease, 764
Guillain-Barré syndrome, 93, 246, 273, 344, 683

H

Hallervorden-Spatz syndrome, 118
Heat shock protein, 587
Heat stress, 587
Hepatitis C, 542
Hereditary motor and sensory neuropathy, 623
Hereditary neuropathy, 252
Hexosaminidase A, 109
High-density EMG, 1
Highly active antiretroviral therapy, 542
Historical aspects, of Duchenne dystrophy, 402
Hoffman reflex, 609
H-reflex, 144, 359, 609
Human alpha-dystrobrevin deficiency, 387
Human immunodefiency virus, 542
Human T-lymphotropic virus type I, 542
Humero-ulnar arcade, 40
Hyperpolarization, 212
Hysteresis, 74

I

Idiopathic neuropathy, 273
Imagery training, 168
Immune-mediated polyneuropathies, 93
Immunosuppressive therapy, 570
Immunotherapy, 273
Impairment measures, 93
Impulse blocking, 423
Inclusion-body myopathy, 113, 659
Increased jitter, 423
Inflammatory myopathies, 659
Inflammatory neuropathy, 273
Innervation, of anal sphincter, 377
Institutional review boards, 27
Intertendinous connections, 614
Intramuscular energy balance, 353
Intravenous immunoglobulin, 273
Isokinetic contractions, 54

J

Jitter, 501

K

Kearns-Sayre syndrome, 484

L

Lactic acidosis, 508, 575
Large deletion, of *GNE* gene, 113
Laryngeal disorders, 767
Laryngeal EMG, 767
Late responses, 82, 626
Lepromatous leprosy, 460
Leprosy neuropathy, 460
Limb-girdle muscular dystrophy, 472
Livedoid vasculitis, 634
Liver disease, 595
Liver transplantation, 595
Low back pain, 651
Low-current stimulation, and F waves, 82
Lumbar myelopathy, 69
Lumbosacral radiculopathy, 754
Lyme disease, 133

M

Major pectoral muscle, 760
Malignant hyperthermia, 353
Manipulative therapy, 651
Masseteric inhibitory reflex, 391
Masticator myopathy, 123
Maximal voluntary contraction, 181, 218
Maximal voluntary muscle torque, 168
McArdle's disease, 380, 640
mdx mice, 336, 561
Median frequency, of EMG power spectrum, 181
MELAS syndrome, 575
Mental training, 168
Metabolic myopathy, 380
Miller Fisher syndrome, 273
Missense mutation, 113
Mitochondria, 324, 575, 757
Mitochondrial disease, 690
Mitochondrial DNA, 508, 690, 737, 757
Mitochondrial encephalomyopathy, 484, 575
Miyoshi myopathy, 443
Monoclonal immunoglobulin M, 128
Mononeuropathy, 133
Mononeuropathy multiplex, 634
Morphology, muscle, 101
Motor axonal neuropathy, 657
Motor control, 1, 144, 309
Motor deficits, 309
Motor evoked potential, 391
Motor neuron, 227, 493
Motor neuron disease, 109, 118, 504
Motor unit, 1
Motor unit architecture, 1
Motor unit number estimation, 161, 263
Motor unit potential, 204
Mouse model, of spinal muscular atrophy, 432
Multifocal motor neuropathy, 242, 273, 319
Multiple mononeuropathies, 696
Multiple system atrophy, 18
Muscle atrophy, 69
Muscle biopsy, 113
Muscle electrical activity, 745
Muscle fatigue, 174, 324
Muscle fiber, 101
Muscle fiber conduction velocity, 1
Muscle fiber number, 62
Muscle fiber types, 493
Muscle glycogen phosphorylase deficiency, 380
Muscle healing, 365
Muscle mechanics, 493
Muscle regeneration, 365, 449
Muscle strength, 46, 630
Muscle weakness, from West Nile virus infection, 302
Muscular dystrophy, 336, 402, 443, 472
Myasthenia gravis, 236, 570, 764
Myelin, 373
Myoclonus epilepsy with ragged-red fibers, 575
Myoglobin, 484
Myonecrosis, 449
Myophosphorylase, 640
Myosin, 336
Myosin heavy chain, 324
Myotonia, 723, 757
Myotoxic phospholipase A_2, 449

N

Na^+ conductance, 212
Nasalis muscle, 236
Near-nerve potential, 460
Needle electromyography, 377
Nerve conduction, 690
Nerve conduction studies, 460, 626
Nerve gap, 194
Nerve injury, 512, 515
Nerve lesions, 525
Nerve transection, 194
Neuopathy, 542
Neural circuitry, 144
Neuroborreliosis, 133
Neurodegeneration with brain iron accumulation type 1 (NBIA-1), 118
Neurography, 626
Neuroma, 512
Neuromuscular function, 1, 181
Neuromuscular junction, 236, 561
Neuromuscular transmission defect, 236
Neuropathy, 133, 553, 733
Neurophysiological index, 630
Neuroprotection, 432
Neurotmesis, 512
Nonsense mutation, 380

O

Obituary
  Katz B, 261
  Lambert EH, 523
Obstetric brachial plexopathy, 515
Ocular myasthenia, 501
Ophthalmoplegia, 764
Orbicularis oculi muscle, 501
Osteoclerotic myeloma, 273
Outcome measures, 93
Oxygen radical, 484

P

Pantothenate kinase gene type 2 (PANK2), 118
Paralysis, 302
Paramyotonia congenita, 232
Paraneoplastic neuropathy, 273
Parkinson's disease, 18
Pathogenesis, of inflammatory myopathies, 659
Peak torque, 46
Pectoral nerve, 760
Pelvic floor, 377
Perceived exertion levels, 54
Peripheral nerve, 133, 438, 525
Peripheral neuropathy, 133, 330, 553, 595, 733
Peripheral silent periods, 391
Peroneal muscular atrophy, 251
Pharyngeal-cervical-brachial variant, 246
Phrenic nerve conduction, 319
Piriformis muscle, 644
Piriformis syndrome, 644
Plasma exchange, 273
Plexopathy, 733
PMP22 protein, 373
POEMS syndrome, 273
Poisson model, 263
Poliomyelitis, 302
Polymyositis, 659
Polyneuropathy, 133, 242, 438, 542, 696
Posterior interosseous nerve syndrome, 386
Postpoliomyelitis syndrome, 218
Preferential motor reinnervation, 227
Pressure palsies, 252
Presynaptic inhibition, 144
Prevalence, of mitochondrial diseases, 690
Primary demyelinating polyneuropathy, 696
Protease, 472
Proximal nerve conduction, 82
Pseudohypertrophic muscular dystrophy, 402
Pulmonary function, 319
Pulmonary rehabilitation, 745

Q

Quantitative measurements, of muscle fiber composition, 101
Quantitative sensory testing, 330, 704

R

Radiation therapy, 650
Radiculopathy, 133, 733
Radiofrequency ablation, 754
Ragged-red fibers, 484
Rapsyn, 293
Raynaud's phenomenon, 252
Recombinant protein, 472
Recruitment curve, 359
Rectus Femoris, 54
Reference values, for A waves, 626
Refractory period, 683
Regeneration, 194, 227, 512
Regionalization, in muscle, 587
Rehabilitation, 174
Repetitive nerve stimulation, 236
Resistance training, 601
Respiratory disease, 745
Responsiveness, of scale, 93
Rhabdomyolysis, 640
Riluzole, 432

S

Safety factor, 683
Salivary gland biopsy, 553
Sarcolemmal proteins, 387
Sarcomere length, 464
Sarcopenia, 601
Satellite cells, 87
Sciatic nerve, 644
Sciatica, 644
Scleroderma, 330
Segmental processes, 609
Sensorimotor integration, 391
Sensory evoked potentials, 715
Sensory nerve action potential, 239, 460
Sensory threshold, 239
Sicca complex, 553
Silent periods, 391
Silicone chamber method, 194
Sjögren's syndrome, 273, 553
Skeletal muscle, 62, 168, 324
Small-fiber neuropathy, 553, 582, 704
Sodium channel, 212, 232, 683
Somatosensory evoked potential, 391
Somatotopic organization, 525
Spasms, 242
Spasticity, 309, 464
Specific force, 601
Sphincteric elctromyography, 18
Spike-triggered averaging, 161
Spinal accessory neuropathy, 383
Spinal cord, 391
Spinal exicitability, 359
Spinal muscular atrophy, 432
Splice-junction mutation, 380
Spondylosis, 69
Spontaneous muscle fiber activity, 515
Sporadic inclusion-body myositis, 113, 659
Statistical method, of motor unit number estimation, 263
Stimulated SFEMG, 501
Stimulus waveform, 239
Strength training, 74
Stroke, 46, 309
Stroke-like episode, 575
Sudden infant death syndrome, 293
Superoxide dismutase, 484
Surface electromyography, 1
Survival, 690
Survival of motor neurons, 432
Sweat, 704
Synapse elimination, 561
Systemic sclerosis, 330

T

Tacrolimus, 570
Temporal dispersion, 189
Temporary and continuous tubing, 194
Tendon stiffness, 74
Tetrodotoxin, 212
Thermal modalities, 651
Thermal sensation, 704
Thoracic outlet syndrome, 383
Tisseel, 227
Tongue-base carcinoma, 650
Tonic seizure, 640
Torque-generation, 46
Transgenic mouse, 472
Transcranial magnetic stimulation, 715
Transplantation, 733
Transthyretin, 438
Trapezius weakness, 383
tRNA for glutamic acid, 575
Tumor necrosis factor–alpha, 336

U

Ulnar nerve, 40, 512
Ulnar neuropathy, 40, 711

V

Variable-frequency trains, 174
Vasculitis, 273
Vasculopathy, 634
Vasomotor dysfunction, in carpal tunnel syndrome, 582
Vastus lateralis, 54
Vastus medialis, 54
Ventilatory dysfunction, 336
Ventral root, 212
Viscoelastic properties, 74
Voluntary activation, 218

W

West Nile virus, 302
Winging of scapula, 383

X

Xenopus laevis oocytes, 723
X-linked inheritance, 623